

# PAVIMENTI

floor tiles

## GRES PORCELLANATO RETTIFICATO

rectified porcelain stoneware

UNI EN 14411 BIA GL



R10 26x160 | 20,2x121,9 | 30,4x121,9

R11 26x160 GRIP | 20,2x121,9 GRIP | 40x121,9 2CM

9 mm 61x61

9,5 mm 26x160 | 20,2x121,9 | 30,4x121,9 | 89,9x89,9

20 mm 40x121,9 2 CM



### FORMATI

formats



26x160  
26x160 GRIP Miele | Noce Chiaro | Noce Scuro



30,4x121,9



20,2x121,9  
20,2x121,9 GRIP Miele | Noce Chiaro | Noce Scuro



40x121,9 2CM Miele | Noce Chiaro | Noce Scuro



89,9x89,9



61x61

# Vivo Rovere



VIVO ROVERE MIELE 26x160 | 26x160 GRIP



VIVO ROVERE NOCE SCURO 20,2x121,9 | 30,4x121,9

IMBALLI packing	mm	PZ box	MQ box	KG box	BOX pallet	MQ pallet	KG pallet	CODICE PREZZO price code
26x160 rett	9,5	4	1,66	34,36	27	44,82	20,70	CAR  mq
30,4x121,9 rett	9,5	4	1,48	30,38	36	53,28	20,53	CAX  mq
20,2x121,9 rett	9,5	4	0,98	20,12	48	47,04	20,53	CAX  mq
26x160 GRIP rett R11	9,5	4	1,66	34,36	27	44,82	20,70	CAR  mq
20,2x121,9 GRIP rett R11	9,5	4	0,98	20,12	48	47,04	20,53	CAX  mq
40x121,9 2CM rett	20	2	0,98	43,71	21	20,58	44,60	CAD  mq

SBIANCATO




MIELE



NOCE CHIARO



NOCE SCURO



CONSIGLI DI POSA

laying advice

SI CONSIGLIA UNA POSA SFALSATA MASSIMA A 1/4 ONDE EVITARE PROBLEMI DI PLANARITÀ.


A staggered laying (max. 1/4) is highly recommended in order to avoid flatness problems.

PEZZI SPECIALI

special pieces



battiscopa 6,5x120  
YBB |pz



Vivo Rovere 2 CM  
40x121,9 rett R11





VIVO ROVERE INTARSIO SBIANCATO 61x61

IMBALLI packing	▼ mm ▲	PZ box	MQ box	KG box	BOX pallet	MQ pallet	KG pallet	CODICE PREZZO price code
89,9x89,9 rett	9,5	2	1,62	32,33	21	34,02	679	<b>CAR</b>  mq
61x61 rett	9	4	1,49	30,00	30	44,70	900	<b>CAL</b>  mq

INTARSIO SBIANCATO



INTARSIO MIELE



INTARSIO NOCE CHIARO



INTARSIO NOCE SCURO



**PEZZI SPECIALI**  
special pieces



battiscopa 6,5x120  
**YBB** |pz